



GROWTH-AND-OBESITY ENHANCED-ROADMAPS OF CHILDREN
Concluding Talk of the Second Conference on
Anthromathematics & Sport Mathematics
held at Government College, Hyderabad
THURSDAY, SEPTEMBER 4, 2014

Prof. Dr. Syed Arif Kamal[#]
Shakeel Ahmed Ansari
Samira Sahar Jamil



Additional File
Clinical Case Studies

Table of Contents

Quantitative Recommendations for Gaining Mass — Wasted Child	02
Quantitative Recommendations for Reducing Mass — Obese Child	04
The Third-Generation Solution of Childhood-Obesity Problem	06

[#]*Homepage:* <http://www.ngds-ku.org/kamal>; *e-mail:* profdrakamal@gmail.com

Quantitative Recommendations for Gaining Mass — Wasted Child

Second-generation solution of children’s wasting problem — calculations done using enhanced growth charts

Compare with: http://www.ngds-ku.org/Presentations/Sport_Mathematics/Additional_File.pdf (pp 13-14)

NGDS-BLA-2011-5085/H (SGPP-KHI-20110614-01/01)

Table 1. Adult-Mid-Parental (Target) and Army-Cutoff Heights

Father’s Height: 172.01 *cm* • Mother’s Height: 162.94 *cm*

<i>BOY/GIRL=(FATHER+MOTHER ± 13)/2</i>	<i>Target Boy</i>	<i>Army-Cutoff Boy</i>	<i>Target Girl</i>	<i>Army-Cutoff Girl</i>
Height (<i>cm</i>)	173.98	162.56 <i>cm</i>	160.98	157.48 <i>cm</i>
Height (<i>ft-in</i>)	5 <i>ft</i> 8.49 <i>in</i>	5 <i>ft</i> 4.00 <i>in</i>	5 <i>ft</i> 3.38 <i>in</i>	5 <i>ft</i> 2.00 <i>in</i>
Percentile	35.68	2.72	36.49	19.36

Army-cutoff values are based on selection standards for the Armed Forces of Pakistan.

(continued on the next page)

Quantitative Recommendations for Gaining Mass — Wasted Child

(continued from the previous page)

NGDS-BLA-2011-5085/H (SGPP-KHI-20110614-01/01)

Table 2. Growth-and-Obesity Roadmap of Hr. S.

Gender: Female • Date of Birth: 2005-04-10

<i>Checkup</i>	<i>1st</i>	<i>2nd</i>	<i>3rd</i>
Date of Checkup	2012-07-15	2013-05-15	2013-11-21
Age (years)	7.26	8.10	8.62
Dress Code	0/0.5	0/0.5	0/0.5
Cumulative-Scoliosis-Risk Weightage	9.50	10.25	15.25
Height (cm)	119.36	124.53	126.45
Height (ft-in)	3 ft 10.99 in	4 ft 1.03 in	4 ft 1.78 in
Percentile-for-Height	24.63	27.08	23.09
Estimated-Adult Height (cm)	158.87	159.33	158.46
Estimated-Adult Height (ft-in)	5 ft 2.55 in	5 ft 2.73 in	5 ft 2.39 in
Current-Age-MP Height (cm)	121.15	126.00	128.76
Δ Height w. r. t. Current-Age-MP (cm)	-1.79	-1.47	-2.29
Δ Height w. r. t. Current-Age-MP (in)	-0.70	-0.58	-0.90
Status (pertaining-to-height)	1.48% STUNTED	1.17% STUNTED	1.78% STUNTED
Current-Age- Army-Cutoff Height (cm)	118.28	122.99	125.64
Δ Height w. r. t. Army-Cutoff (cm)	+1.08	+1.54	+0.81
Δ Height w. r. t. Army-Cutoff (in)	+0.43	+0.61	+0.32
Reference Height (cm)	121.15	126.00	128.76
Percentile-for-Reference-Height	36.49	36.49	36.49
Age of Prediction, A+ (years)	7.77	8.60	9.11
Reference Height, at A+ (cm)	124.14	128.67	131.23
Height — to be gained (cm)	4.78	4.14	4.78
Height — to be gained per month (cm/month)	0.80	0.69	0.80
Height — to be gained per month (in/month)	0.31	0.27	0.31
Gross Mass (kg)	19.19	21.90	22.53
Clothing Correction (kg)	0	0	0
Net Mass (kg)	19.19	21.90	22.53
Net Weight (lb-oz)	42 lb 5.02 oz	48 lb 4.63 oz	49 lb 10.86 oz
Percentile-for-Net-Mass	8.13	14.74	10.30
Estimated-Adult Mass (kg)	47.60	49.68	48.46
Estimated-Adult Weight (lb-oz)	104 lb 15.37 oz	109 lb 8.67 oz	106 lb 13.82 oz
BMI: Body-Mass Index (kg/m ²)	13.47	14.12	14.09
Estimated-Adult BMI (kg/m ²)	18.86	19.57	19.30
Optimal Mass (kg)	21.15	23.47	24.39
Optimal Weight (lb-oz)	46 lb 10.25 oz	51 lb 11.94 oz	53 lb 12.36 oz
Δ Mass-for-Height (kg)	-1.96	-1.57	-1.86
Δ Weight-for-Height (lb-oz)	-4 lb 5.23 oz	-3 lb 7.31 oz	-4 lb 1.50 oz
Status (pertaining-to-mass)	9.28% WASTED	6.68% WASTED	7.61% WASTED
Optimal Mass for Reference Height, at A+ (kg)	23.57	25.98	27.64
Mass — to be gained (kg)	4.38	4.08	5.11
Mass — to be gained per month (kg/month)	0.73	0.68	0.85
Weight — to be gained per month (lb-oz/month)	1 lb 9.75 oz	1 lb 8.01 oz	1 lb 13.98 oz

Quantitative Recommendations for Reducing Mass — Obese Child

Second-generation solution of children’s obesity problem — calculations done using enhanced growth charts

Compare with: http://www.ngds-ku.org/Presentations/Sport_Mathematics/Additional_File.pdf (pp 15-16)

SGPP-KHI-20060412-01/01

Table 3. Adult-Mid-Parental (Target) and Army-Cutoff Heights

Father’s Height: 165.70 *cm* • Mother’s Height: 155.73 *cm*

<i>BOY/GIRL=(FATHER+MOTHER ± 13)/2</i>	<i>Target Boy</i>	<i>Army-Cutoff Boy</i>	<i>Target Girl</i>	<i>Army-Cutoff Girl</i>
Height (<i>cm</i>)	167.22	162.56 <i>cm</i>	154.22	157.48 <i>cm</i>
Height (<i>ft-in</i>)	5 ft 5.83 <i>in</i>	5 ft 4.00 <i>in</i>	5 ft 0.72 <i>in</i>	5 ft 2.00 <i>in</i>
Percentile	9.36	2.72	8.81	19.36

Army-cutoff values are based on selection standards for the Armed Forces of Pakistan.

(continued on the next page)

Quantitative Recommendations for Reducing Mass — Obese Child

(continued from the previous page)

SGPP-KHI-20060412-01/01

Table 4. Growth-and-Obesity Roadmap of Z. J.

Gender: Female • Date of Birth: 1996-09-23

<i>Checkup</i>	<i>1st</i>	<i>2nd</i>	<i>3rd</i>
Date of Checkup	2007-05-13	2007-10-07	2008-06-15
Age (<i>years</i>)	10.63	11.04	11.73
Dress Code	0/0.5	0/0.5	0/0.5
Cumulative-Scoliosis-Risk Weightage	0.50	1.00	6.00
Height (<i>cm</i>)	136.41	139.70	146.53
Height (<i>ft-in</i>)	4 <i>ft</i> 5.71 <i>in</i>	4 <i>ft</i> 7.00 <i>in</i>	4 <i>ft</i> 9.69 <i>in</i>
Percentile-for-Height	23.18	26.76	36.69
Estimated-Adult Height (<i>cm</i>)	158.49	159.27	161.01
Estimated-Adult Height (<i>ft-in</i>)	5 <i>ft</i> 2.40 <i>in</i>	5 <i>ft</i> 2.71 <i>in</i>	5 <i>ft</i> 3.39 <i>in</i>
Current-Age-MP Height (<i>cm</i>)	131.88	134.11	138.74
Δ Height <i>w. r. t.</i> Current-Age-MP (<i>cm</i>)	+4.53	+5.59	+7.79
Δ Height <i>w. r. t.</i> Current-Age-MP (<i>in</i>)	+1.78	+2.20	+3.07
Status (pertaining-to-height)	3.43% TALL	4.17% TALL	5.61% TALL
Current-Age- Army-Cutoff Height (<i>cm</i>)	135.42	137.80	142.57
Δ Height <i>w. r. t.</i> Army-Cutoff (<i>cm</i>)	+0.99	+1.90	+3.96
Δ Height <i>w. r. t.</i> Army-Cutoff (<i>in</i>)	+0.39	+0.75	+1.56
Reference Height (<i>cm</i>)	136.41	139.70	146.53
Percentile-for-Reference-Height	23.18	26.76	36.69
Age of Prediction, A+ (<i>years</i>)	11.14	11.54	12.23
Reference Height, at A+ (<i>cm</i>)	139.52	143.16	150.06
Height — to be gained (<i>cm</i>)	3.11	3.46	3.53
Height — to be gained per month (<i>cm/month</i>)	0.52	0.58	0.59
Height — to be gained per month (<i>in/month</i>)	0.20	0.23	0.23
Gross Mass (<i>kg</i>)	42.50	46.50	49.60
Clothing Correction (<i>kg</i>)	0	0	0
Net Mass (<i>kg</i>)	42.50	46.50	49.60
Net Weight (<i>lb-oz</i>)	93 <i>lb</i> 11.40 <i>oz</i>	102 <i>lb</i> 8.52 <i>oz</i>	109 <i>lb</i> 5.89 <i>oz</i>
Percentile-for-Net-Mass	78.36	82.41	80.85
Estimated-Adult Mass (<i>kg</i>)	67.98	70.54	69.56
Estimated-Adult Weight (<i>lb-oz</i>)	149 <i>lb</i> 14.41 <i>oz</i>	102 <i>lb</i> 8.52 <i>oz</i>	153 <i>lb</i> 5.97 <i>oz</i>
BMI: Body-Mass Index (<i>kg/m²</i>)	22.84	23.83	23.10
Estimated-Adult BMI (<i>kg/m²</i>)	27.07	27.81	26.83
Optimal Mass (<i>kg</i>)	30.94	33.16	37.82
Optimal Weight (<i>lb-oz</i>)	68 <i>lb</i> 3.70 <i>oz</i>	73 <i>lb</i> 1.79 <i>oz</i>	83 <i>lb</i> 6.19 <i>oz</i>
Δ Mass-for-Height (<i>kg</i>)	+11.56	+13.34	+11.78
Δ Weight-for-Height (<i>lb-oz</i>)	+25 <i>lb</i> 7.70 <i>oz</i>	+29 <i>lb</i> 6.73 <i>oz</i>	+25 <i>lb</i> 15.70 <i>oz</i>
Status (pertaining-to-mass)	37.35% OBESE	40.24% OBESE	31.16% OBESE
Optimal Mass for Reference Height, at A+ (<i>kg</i>)	32.83	38.23	39.88
Mass — to be lost (<i>kg</i>)	9.67	8.27	9.72
Mass — to be lost per month (<i>kg/month</i>)	1.61	1.38	1.62
Weight — to be lost per month (<i>lb-oz/month</i>)	3 <i>lb</i> 8.80 <i>oz</i>	3 <i>lb</i> 0.69 <i>oz</i>	3 <i>lb</i> 9.15 <i>oz</i>

The Third-Generation Solution of Childhood-Obesity Problem

to be launched on **Thursday, July 1, 2015**

in a research paper entitled

OPTIMAL-MASS MANAGMENT IN OBESE CHILDREN

Kamal SA, *International Journal of Biology and Biotechnology*, **12 (3):** 381-391, 2015

<http://www.ngds-ku.org/Papers/J38.pdf>

First-Generation Solution of Childhood-Obesity Problem

proposed on Wednesday, September 4, 2013 during

The First Conference on Anthromathematics

<http://www.ngds-ku.org/Anthromathematics/2013/Anthromathematics2013.pdf>

GROWTH-AND-OBESITY ROADMAPS OF CHILDREN

Theoretical Background: <http://www.ngds-ku.org/Presentations/Roadmap.pdf>

Examples: http://www.ngds-ku.org/Presentations/Sport_Mathematics/Additional_File.pdf (pp. 13-16)

The Second-Generation Solution of Childhood-Obesity Problem

proposed on Thursday, September 4, 2014 during

The Second Conference on Anthromathematics and Sport Mathematics

<http://www.ngds-ku.org/Anthromathematics/2014/Anthromathematics2014.pdf>

GROWTH-AND-OBESITY ENHANCED-ROADMAPS OF CHILDREN

Theoretical Background: <http://www.ngds-ku.org/Presentations/Enhanced.pdf>

Examples: http://www.ngds-ku.org/Presentations/Enhanced/Additional_File.pdf (pp. 2-5)

Web address of the main document:

Abstract of Concluding Talk of ANTHROMATHEMATICS 2014

GROWTH-AND-OBESITY ENHANCED-ROADMAPS OF CHILDREN

<http://www.ngds-ku.org/Presentations/Enhanced.pdf>

Web address of this document:

Additional File

CLINICAL CASE STUDIES

http://www.ngds-ku.org/Presentations/Enhanced/Additional_File.pdf